









































Motors shown on this list are additional to those detailed on the original (word only) list dated 12th. July 2007.

2014 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued: 09.06.14.













NOTE: Motors approved by IFMAR from 2013 must comply with Rule 5.2(d), which requires access to measure stator length and visual for laminate thickness. Motors from previous years without this feature retain approval.





















TEAM POWERS Actinium				Rotor in Samples :- 12.5 x 5 mm.
TRINITY D3.5				Rotor in Samples :- 12.5 x 5 mm.
SKYRC Ares Pro.				Rotor in Samples :- 12.5 x 5 mm.
LIPOTECH XR Vario				Rotor in Samples :- 12.5 x 5 mm. 12.5 x 7.2 mm.
GFORCE Gforce Super Sonic				Rotor in Samples :- 12.5 x 5 mm.
ORION VST2 Pro.				Approved 2013, revised stator option. Rotor in Samples :- 12.1 x 4.76 mm.
ORION VST2 Pro. Light-Weight				Optional :- 12.4 x 5 mm. 12.9 x 5 mm. LW version has two stator options.

KING GOLDEN Speed Passion 4.0				Rotor in Samples :- 12.5 x 5 mm.
Optional Part Colours				
TIANCO ORCA RX3				Rotor in Samples :- 12.5 x 5 mm. 12.4 X 5 mm.
SPEED ENERGY SE Race Spec.				Rotor in Samples :- 12.5 x 5 mm. Optional :- 12.24 x 5 mm.
HACKER Skalar 10				Rotor in Samples :- 12.5 x 5 mm. Optional :- 12.24 x 5 mm. 13.0 x 5 mm.
TIANCO ORCA TX Optional Tuning Part.				Optional End-Plate. # OME111TX
2013 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued May 17, 2013				
REEDY Sonic. MACH 2				Rotor in Samples :- # 958 12.50 mm. Optional rotors :- # 957 12.20 mm. # 987 13.00 mm.
TRICORE SAVOX X.1				Approved in 2011. Resubmitted with stator access. Optional rotors:- A35, A36, A37, A38.
VAMPIRE AB+ V2				Rotor in sample :- 12.50 mm dia. Gold finish. 21.10.13: Retaining Ring & Timing Plate modified.





<p>TIANCO ORCA TX</p>				<p>Rotor in sample:- 125M-H 12.5 mm. Optional :- 125M-SH</p>
<p>TEKIN Redline Gen2</p>				<p>Rotor in Samples :- 13 x 5.2 mm. 13 x 7.2 mm.</p>
<p>ORION VST2 Pro.</p>				<p>Rotor in Samples :- 12.1 x 4.76 mm. Optional :- 12.5 x 7.1 mm.</p>
<p>YOKOMO 'M' Series</p>				<p>Rotor in Samples :- 12.5 x 5 mm.</p>
<p>MUCMORE FLETA ZX</p>				<p>Rotor in Samples :- 12.5 x 5 mm.</p>

2012 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued March 26, 2012

<p>REEDY Sonic.</p>				<p>Rotor in sample :- 12.50 mm dia.</p>
<p>DUALSKY Track & Field Z5</p>				<p>Rotor in sample :- 12.50 mm dia.</p>
<p>THUNDER POWER RC Z3R</p>				<p>Later version has: 6mm slots</p> <p>Optional Rotors :- AMR-Z3RM Purple AMRS-Z3RM Gold AHT-Z3RS Green AST-Z3RS Blue ASR-Z3RS Red</p> <p>Early version has: 4mm slots</p>
				








LRP Vector X20.				Optional Rotors :- 50632 12 mm 50633 12.5 mm 50634 13 mm 50635 12.45 mm 50636 12 mm
NOSRAM Pure 2				50637 12.5 mm (kit) 50638 13 mm 50639 12.25 mm (Also Nosram versions, with alternative Part #'s)
TIANCO ORCA RX2				Optional Rotors :- Red 12.5 mm dia.. Gold 12.8 mm dia.
KING GOLDEN Speed passion 3.0 (Normal)				Optional Rotors :- RM 13801 Blue. RM 13802 Purple. RM 13802NA Purple RM 13803 Red (Kit) RM 13803NA Red RM 13804 Gold RM 13805 Green RM 13806 Orange
	7.5T & 8.5T no Vent Holes			
KING GOLDEN Speed passion 3.0 1 CELL.				NA = Silver Edition
KING GOLDEN Speed passion 3.0 MMM.				All above available with Stock shaft size using #RS

2011 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued April 05, 2011

KING GOLDEN Speed Passion 3.0			Alternative Rotors:- RM13802 12.3mm dia. RM13802NA 12.3mm " RM13803 12.5mm " RM13803NA 12.5mm " RM13804 12.8mm " RM13805 12.8mm " RM13806 13.0mm "
			
			Motor can have stator ID of 14.8mm or 15.8mm

TRICORE SAVOX Z1				Rotor in sample :- 12.30 mm. dia.
ORION Vortex Race (2010 Ver.)				Rotor in sample :- 12.50 mm. dia.




2010 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued March 23, 2010




















LIPOTECH Lipotech XR				Alternative Rotors :- 12.30 mm. dia. 12.50 mm. " 13.00 mm. " 13.50 mm. "
GM RACING (Graupner) Brushless PRO 2010 Version				Motor also supplied with Black Finish. Alternative Rotors supplied:- 12.00 mm. dia. 12.50 mm. "
YOKOMO				Rotor in sample :- 13.50 mm. dia.
LRP Vector X12. Tuning parts.				Alternative Rotors :- 12.00 mm. dia. # 50636. 12.45 mm. " # 50637. 13.00 mm. " # 50634. 13.00 mm. " # 50638.

2009 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued June 09, 2009

ORION Vortex 2008 Race				
Novak Ballistic Brushless				

2008 IFMAR PRODUCTS LIST -- BRUSHLESS MOTORS: Issued Nov. 04, 2008

APO Team Powers				
--------------------	---	---	--	--

<p>ORION Vortex 2008 Race</p>				
<p>LRP Vector X12</p>				
<p>GM RACING (Graupner) Brushless PRO</p>				
<p>TRINITY</p>				<p>Also with Black finish.</p>
<p>KING GOLDEN Speed Passion Competition 2.0</p>				
<p>KING GOLDEN Speed Passion Competition 2.0</p>				

P. Worsley. 26.05.14. (for IFMAR)